

(19) 世界知的所有権機関
国際事務局



(43) 国際公開日
2002 年 1 月 24 日 (24.01.2002)


PCT

(10) 国際公開番号
WO 02/06519 A1

- (51) 国際特許分類⁷: C12Q 1/37, 1/26, G01N 33/66, 33/72 (74) 代理人: 池内真幸, 外(IKEUCHI, Hiroyuki et al.); 〒530-0047 大阪府大阪市北区西天満4丁目3番25号 梅田ブラザビル401号室 Osaka (JP).
- (21) 国際出願番号: PCT/JP01/06064
- (22) 国際出願日: 2001 年 7 月 12 日 (12.07.2001)
- (25) 国際出願の言語: 日本語
- (26) 国際公開の言語: 日本語
- (30) 優先権データ:
特願2000-214801 2000 年 7 月 14 日 (14.07.2000) JP
- (71) 出願人 (米国を除く全ての指定国について): アークレイ株式会社 (ARKRAY, INC.) [JP/JP]; 〒601-8045 京都府京都市南区東九条西明田町57番地 Kyoto (JP).
- (81) 指定国 (国内): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) 指定国 (広域): ARIPO 特許 (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), ユーラシア特許 (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ヨーロッパ特許 (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI 特許 (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- 添付公開書類:
— 国際調査報告書
- 2 文字コード及び他の略語については、定期発行される各 PCT ガゼットの巻頭に掲載されている「コードと略語のガイダンスノート」を参照。

(54) Title: METHOD OF SELECTIVELY DETERMINING GLYCATED HEMOGLOBIN

(54) 発明の名称: 糖化ヘモグロビンの選択的測定方法



(57) Abstract: A method whereby the ratio of glycated hemoglobin can be highly accurately and easily determined. The ratio of glycated hemoglobin can be determined by selectively digesting glycated hemoglobin in a whole blood sample with a protease, reacting the glycated moiety of the glycated hemoglobin digestion product with a glycated amino acid oxidoreductase, and then measuring this oxidoreduction reaction. As the glycated hemoglobin data determined by this method correlate to HbA1c concentration in whole blood samples. Therefore, HbA1c content can be highly accurately and easily determined from the glycated hemoglobin data without measuring the glycated α -amino group moiety which is the characteristic structure of HbA1c.

[続葉有]

WO 02/06519 A1